
demo

nobody

Aug 02, 2019

CONTENTS:

Python Module Index	3
Index	5

The members of this module are ordered incorrectly. Autodoc is configured to keep the source ordering which is as follows:

- DATA_ENTITY
- Entity
- DerivedEntity
- MyDataclass

However, you can see that the resulting ordering is different (alphabetical).

```
class sphinx_demo.DerivedEntity
    Bases: sphinx_demo._internal.Entity
    The base class is not hyper-linked.

    property prop
        This property is type-annotated, but the type information is discarded by autodoc.

    where_is_the_type_information(*args) → sphinx_demo._internal.Entity
        The argument is type-annotated as *args: Entity, but the annotation is discarded by autodoc.

class sphinx_demo.Entity
    Bases: object

class sphinx_demo.MyDataclass(undocumented_field: int, well_documented_field: int)
    Bases: object

    well_documented_field = None
        This field is documented.
```


PYTHON MODULE INDEX

S

`sphinx_demo`, [1](#)

INDEX

D

`DerivedEntity` (*class in sphinx_demo*), 1

E

`Entity` (*class in sphinx_demo*), 1

M

`MyDataclass` (*class in sphinx_demo*), 1

P

`prop()` (*sphinx_demo.DerivedEntity property*), 1

S

`sphinx_demo` (*module*), 1

W

`well_documented_field`
(*sphinx_demo.MyDataclass attribute*), 1

`where_is_the_type_information()`
(*sphinx_demo.DerivedEntity method*), 1